ईस्टर्न कोलिफिल्ड्स लिमिटेड (कोल इंडिया का एक उपक्रम) सांक्तोड़िया, पो: डिसेरगढ़ विपणन एवम विक्रय विभाग



Eastern Coalfields Limited (A subsidiary of Coal India Ltd) Sanctoria. PO. Dishergarh, DEPT: MARKETING & SALES

ECL/HQ/ M&S/E-AUCTION/

Dated: 15/05/2023

SUB: <u>E-AUCTION OFFER</u>

KIND ATTEN: SRI ARINDAM BHATTACHARYA, HOD COAL CELL

TO: M/S MSTC LIMITED, Plot no.CF-18/2, Street No.175, Action Area 1C, New Town, Kolkata - 700156.

FROM: HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **22ND OF MAY, 2023.** THE AUCTION IS TO BE HELD IN TERMS OF CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders / consent of Railway programme will be issued within next 7 days after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Documents to be submitted for booking Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS.
 The e-auction customers intend to take relief of TCS should submit the address of the factory and
 S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e
 Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone
 No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.

- If the same address comes within the same state from which coal is supplied then CGST & SGST will
 be charged and if above address of recipient falls in a different state from where coal is supplied then
 IGST will be levied.
- Exact amount to be deposited: Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.500 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.
 - Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity 4012 tonnes per rake in Rail mode.
- Process Fee: In addition, with the bid security, the Bidders shall also be required to submit a Process
 Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the
 intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction.
 The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the
 First stage of bidding process.
- Separate amount of advance: The coal customers against E-Auction sale are advised to deposit the
 amount of advance separately bid-wise and source-wise against quantity of coal to be lifted
 mentioning the GSTIN separately.
 - Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bidwise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: State Bank of India, CAG Branch,34
 J.N.Road, Kol-700 071, MICR CODE NO- 700002199, Account No- 10373629858, IFSC:
 SBIN0009998, ECL's PAN-AAACE7590E
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022, then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160

Cust ID: 582866895

Bank Branch IFSC Code: ICIC0000291

Unique Identifier for Field 7037:- ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

• The requisite documents along with application may be sent in mail id eclmns2020@yahoo.com within 2 working days of deposition of coal value.

	_	Au	ction Floor						
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade	Floor Price				
Bankola A	41500	G-4	STEAM (-100mm)	3318	4148]			
Cluster description	1								
Loading Points	Mode	Grade	Size	Notified price	Evacuation capacity under offer (tes)	Colliery Code (Coalnet)	SAP Siding Code	SAP Plant code	Weighbridge Details
UKA IV (Bankola Line I)	Rail	G-4	STEAM (-100mm)	3318	20000 (05 rakes)	N/A	RLB1	4001	Andal Railway Weigh Bridge : 140TE
Shankarpur UG	Road	G-4	STEAM (-100mm)	3318	9000	9564	N/A	4119	SHANKERPUR ROAD WEIGHBRIDGE, CAPACITY: TONNES
Bankola UG	Road	G-4	STEAM (-100mm)	3318	6000	9331	N/A	4113	BANKOLA WEIGHBRIDGE ,CAPACITY:60 TONNES
Tilaboni UG	Road	G-4	STEAM (-100mm)	3318	2000	9563	N/A	4115	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPA 60 TONNES
Kumardihi A UG	Road	G-4	STEAM (-100mm)	3318	2500	9561	N/A	4116	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPA 60 TONNES
Khandra UG	Road	G-4	STEAM (-100mm)	3318	2000	9560	N/A	4112	KHANDRA ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
			etien Fleer			1		<u>I</u>	
Charter N	Total offer of	Representative	ction Floor	Notified price of	Elem Di	1			
Cluster Name	Cluster	Grade	Representative Size	representative grade	Floor Price	4			
Bankola B	35000	G-4	STEAM (-100mm)	3318	4148	J			
Cluster description	<u> </u>								
Loading Points	Mode	Grade	Size	Notified price	Evacuation capacity under offer (tes)	Colliery Code (Coalnet)	SAP Siding Code	SAP Plant code	Weighbridge Details
UKA IV (Bankola Line II)	Rail	G-4	STEAM (-100mm)	3318	20000 (05 rake)	N/A	RLB2	4001	Andal Railway Weigh Bridge: 140TE
Shyamsundarpur UG	Road	G-4	STEAM (-100mm)	3318	15000	9559	N/A	4114	Shyamsundarpur Road WB, Cap: 100 tes
		Au	ction Floor			Г			
Cluster Name	Total offer of	Representative	Representative Size	Notified price of	Floor Price	†			
	Cluster	Grade	.,	representative grade		-			
Bankola C	40000	G-4	STEAM (-100mm)	3318	4148	J			
Cluster description									
Loading Points	Mode	Grade	Size	Notified price	Evacuation capacity under offer (tes)	Colliery Code (Coalnet)	SAP Siding Code	SAP Plant code	Weighbridge Details
POCP II	Rail	G-4	STEAM (-100mm)	3318	20000 (5 rakes)	(counce)	RWJ2	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
Kumardihi B UG	Road	G-4	STEAM (-100mm)	3318	10000	9580	N/A	4117	NAKRAKONDA KUM-B UG ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
	Rodu	G-4	STEAM (400)				NI/A		
Nakrakonda OC	Road				10000	OFOO		/1110	NAKRAKONDA KUM-B OC ROAD WEIGHBRIDGE,
	Rodu	G-4	STEAM (-100mm)	3318	10000	9598	N/A	4118	CAPACITY: 60 TONNES
	Rodu		ction Floor	3318	10000	9598	N/A	4118	
Cluster Name	Total offer of	Au Representative	, , , , , , , , , , , , , , , , , , ,	Notified price of	10000 Floor Price	9598	N/A	4118	
	Total offer of Cluster	Au Representative Grade	ction Floor Representative Size		Floor Price	9598	N/A	4118	
JHANJRA	Total offer of	Au Representative	ction Floor	Notified price of representative grade	I.	9598	N/A	4118	
	Total offer of Cluster	Au Representative Grade	ction Floor Representative Size	Notified price of representative grade	Floor Price 3815				
JHANJRA	Total offer of Cluster	Au Representative Grade	ction Floor Representative Size	Notified price of representative grade	Floor Price	9598 Colliery Code (Coalnet)	SAP Siding Code	SAP Plant code	CAPACITY: 60 TONNES Weighbridge Details
JHANJRA Cluster description Loading Points PAWI POCP-I	Total offer of Cluster 102000 Mode Rail	Representative Grade G-5 Grade G-6-4	ction Floor Representative Size STEAM (-100mm) Size STEAM (-100mm)	Notified price of representative grade 3052 Notified price 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes)	Colliery Code (Coalnet)	SAP Siding Code RWJ1	SAP Plant code 4001	CAPACITY: 60 TONNES Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
JHANJRA Cluster description Loading Points	Total offer of Cluster 102000	Representative Grade G-5	Representative Size STEAM (-100mm)	Notified price of representative grade 3052	Floor Price 3815 Evacuation capacity under offer (tes)	Colliery Code (Coalnet)	SAP Siding Code	SAP Plant code	CAPACITY: 60 TONNES Weighbridge Details
JHANJRA Cluster description Loading Points PAWI POCP-I	Total offer of Cluster 102000 Mode Rail	Representative Grade G-5 Grade G-6-4 G-5	ction Floor Representative Size STEAM (-100mm) Size STEAM (-100mm)	Notified price of representative grade 3052 Notified price 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes)	Colliery Code (Coalnet)	SAP Siding Code RWJ1	SAP Plant code 4001	CAPACITY: 60 TONNES Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG	Total offer of Cluster 102000 Mode Rail Road	Representative Grade G-5 Grade G-4 G-5 Au Representative	Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) STEAM (-100mm)	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000	Colliery Code (Coalnet)	SAP Siding Code RWJ1	SAP Plant code 4001	CAPACITY: 60 TONNES Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
JHANJRA Cluster description Loading Points PAWI POCP-I	Total offer of Cluster 102000 Mode Rail Road	Representative Grade G-5 Grade G-5 Au	Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm)	Notified price of representative grade 3052 Notified price 3318 3052	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes)	Colliery Code (Coalnet)	SAP Siding Code RWJ1	SAP Plant code 4001	CAPACITY: 60 TONNES Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG Cluster Name Kajora Area	Total offer of Cluster 102000 Mode Rail Road Total offer of Cluster	Representative Grade G-5 Grade G-4 G-5 Au Representative Grade	ction Floor Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) STEAM (-100mm) Ction Floor Representative Size	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of representative grade	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000 Floor Price	Colliery Code (Coalnet)	SAP Siding Code RWJ1	SAP Plant code 4001	CAPACITY: 60 TONNES Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG Cluster Name Kajora Area Cluster description	Total offer of Cluster 102000 Mode Rail Road Total offer of Cluster 34000	Au Representative Grade G-5 Grade G-6 G-7 Grade G-7 G-9 Representative Grade G-4	Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) STEAM (-100mm) Ction Floor Representative Size STEAM	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of representative grade 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000 Floor Price 4148 Evacuation capacity	Colliery Code (Coalnet) N/A 9324	SAP Siding Code RWJ1 N/A	SAP Plant code 4001 4162	Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE 3 & 4 Incline Road WB; Capacity: 60 Te
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG Cluster Name Kajora Area Cluster description Loading Points	Total offer of Cluster 102000 Mode Rail Road Total offer of Cluster 34000 Mode	Representative Grade G-5 Grade G-4 G-5 Au Representative Grade G-4 Grade Grade Grade	Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) STEAM (-100mm) Ction Floor Representative Size STEAM	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of representative grade 3318 Notified price of representative grade 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000 Floor Price 4148 Evacuation capacity under offer (tes)	Colliery Code (Coalnet) N/A 9324 Colliery Code (Coalnet)	SAP Siding Code RWJ1 N/A	SAP Plant code 4001 4162 SAP Plant code	Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE 3 & 4 Incline Road WB; Capacity: 60 Te Weighbridge Details
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG Cluster Name Kajora Area Cluster description Loading Points UKA-II-MSPE	Total offer of Cluster 102000 Mode Rail Road Total offer of Cluster 34000 Mode Rail	Representative Grade G-5 Grade G-6 G-7 Grade G-7 Grade G-7 Grade G-8 Grade G-9 Grade G-9 Grade G-9	ction Floor Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) Ction Floor Representative Size STEAM Size STEAM Size STEAM (-100mm)	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of representative grade 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000 Floor Price 4148 Evacuation capacity	Colliery Code (Coalnet) N/A 9324	SAP Siding Code RWJ1 N/A SAP Siding Code RLK2	SAP Plant code 4001 4162 SAP Plant code 4001	Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE 3 & 4 Incline Road WB; Capacity: 60 Te
JHANJRA Cluster description Loading Points PAWI POCP-I Jhanjra UG Cluster Name Kajora Area Cluster description Loading Points	Total offer of Cluster 102000 Mode Rail Road Total offer of Cluster 34000 Mode	Representative Grade G-5 Grade G-4 G-5 Au Representative Grade G-4 Grade Grade Grade	Representative Size STEAM (-100mm) Size STEAM (-100mm) STEAM (-100mm) STEAM (-100mm) Ction Floor Representative Size STEAM	Notified price of representative grade 3052 Notified price 3318 3052 Notified price of representative grade 3318 Notified price of 3318	Floor Price 3815 Evacuation capacity under offer (tes) 92000 (23 rakes) 10000 Floor Price 4148 Evacuation capacity under offer (tes) 4000 (1 rake)	Colliery Code (Coalnet) N/A 9324 Colliery Code (Coalnet)	SAP Siding Code RWJ1 N/A	SAP Plant code 4001 4162 SAP Plant code	Weighbridge Details PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE 3 & 4 Incline Road WB; Capacity: 60 Te Weighbridge Details Andal Railway Weigh Bridge: 140TE