

ECL/HQ/M&S/E-AUCTION/2030

SUB: E-AUCTION OFFER

**KIND ATTN: SRI SAIKAT KUMAR PAUL, HOD COAL CELL**

**TO: M/S MSTC LIMITED, Plot no.CF-18/2, Street No.175, Action Area 1C, New Town, Kolkata - 700156.**

**FROM: GM/HOD (M&S), ECL, SANCTORIA.**

PLEASE FIND ATTACHED HERewith THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **25<sup>th</sup> of November, 2025**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022. YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

**NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION**

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

**Post auction activities**

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.

**विपणन एवं विक्रय, ईसीएल ♦ MARKETING & SALES, ECL**

पंजीकृत कार्यालय / Regd. Office

Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity **(4000+130) 4130 tonnes** per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of **130 tonnes** in the form of cash or bank guarantee until dispatching and invoicing of the rake. The additional coverage for **130 tonnes** along with coverage of **4000 tonne** is also to be deposited within 10 working days as per the scheme.

- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- **Cancellation of Rakes: Reference is made to Clauses 4.2.2, 7.6,11.8,11.9,11.10 of updated CIL's e-Auction Scheme** in accordance with these clauses, if a bidder refuses to accept the coal offered for loading, **Coal Company has the right to cancel the e-Auction rake.** In such cases, the Earnest Money Deposit (EMD) will be forfeited as provisions in the e-Auction Scheme.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22<sup>nd</sup> Dec 2022. then last date of deposition of Bid Security in the form of BG is 19<sup>th</sup> Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -  
Bank Name: ICICI Bank  
Account No.: 029105006160  
Cust ID: 582866895  
Bank Branch IFSC Code: ICIC0000291  
Unique Identifier for Field 7037:- ECL582866895  
Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id [Associatefin.ecl@coalindia.in](mailto:Associatefin.ecl@coalindia.in) within 2 working days of deposition of coal value.

GM (M&S)  
ECL (HQ)

OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on 25th OF NOVEMBER, 2025.

Offer description for Road Mode Only Sources											
Loading Points	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Mandarboni UG	Road	N/A	G4	-250 MM,STEAM	3549	4437	1500	N/A	N/A	4064	Manderbani 60 tes. Road Weighbridge
Lower Kenda UG	Road	N/A	G4	-100 MM,STEAM	3549	4437	1950	N/A	N/A	4315	Lower Kenda Road WB, 60te (9x3)
Amritnagar UG	Road	N/A	G4	-100 MM,STEAM	3549	4437	1000	N/A	N/A	4364	Amritnagar 60 tes. Road Weighbridge
Satgram Project	Road	N/A	G4	-100 MM,STEAM	3549	4437	1000	N/A	N/A	4415	60 MT Road WB, Satgram Project Depot.
Khoodia UG	Road	N/A	G5	-250 MM,STEAM	3267	4084	850	N/A	N/A	4618	Lakhimata WB , Capacity: 60 Te.
Shyampur B UG	Road	N/A	G5	-250 MM,STEAM	3267	4084	1600	N/A	N/A	4617	Shyampur B WB , Capacity: 60 Te.
Hariajam UG (WIII)	Road	N/A	WIII	-250 MM,STEAM	3654	4203	15000	N/A	N/A	4615	Hariajam WB , Capacity: 60 Te.
Hariajam UG (G5)	Road	N/A	G5	-250 MM,STEAM	3267	4084	500	N/A	N/A	4615	Hariajam WB , Capacity: 60 Te.
Rajmahal OC	Road	N/A	G12	-250 MM,STEAM	2068	2068	64150	N/A	N/A	4712	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length- 14.3 m
HURA C OC	Road	N/A	G11	-100 MM,STEAM	2151	2151	84250	N/A	N/A	4716	Linked WB - Hura C, Capacity 100 Te, Location- Near Hura C,
Rajmahal OC	Road	N/A	G13	-50 MM,ROM	1713	1713	418150	N/A	N/A	4712	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length- 14.3 m

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Pandaveswar A	17950	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified /Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Khottadih UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	13950	3549	N/A	N/A	4066	Khottadih 100 tes. Road Weighbridge
SSAP	Rail	Khottadih UG	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	80%-100%	SSAP	4001	PAW II 100 tes RAIL Weighbridge.
		Khottadih OC								0%-20%			

Auction Floor														
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Bankola C	8000	G4	STEAM	3549	4437									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Bankola UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	N/A	N/A	4113	Bankola ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES	
UKA IV (Bankola Line II)	Rail	Bankola UG	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	20%-30%	RLB2	4001	Andal Railway Weigh Bridge: 140 TE	
		Kumardih A UG								10%-20%				
		Khandra UG								15%-25%				
		Shyamsundarpur UG								50%-60%				

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Bankola G	57000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Nakrakonda OC	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	25000	3549	N/A	N/A	4118	Nakrakonda Kumardihi B UG ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
POCP II	RAIL	Nakrakonda OC Kumardihi B UG	G4	G4	-100 MM,STEAM	3549	4437	32000	3549	40%-60% 40%-60%	RWJ2	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE

Auction Floor															
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price										
Kajora A	10000	G3	STEAM	3710	4638										
Offer Description															
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified /Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details		
Jambad UG	Road	N/A	G3	G3	-100 MM,STEAM	3710	4638	6000	3710	N/A	N/A	4212	Jambad UG Road Weighbrige, CAP: 60 Te		
UKA-II-MSPE	Rail	Parascole West	G4	G3	-100 MM,STEAM	3549	4437	4000	3710	5-25%	RLK2	4001	Andal Railway Weigh Bridge: 140 TE		
		Parascole East	G3			3710	4638			4000				3710	5-25%
		Central Kajora UG													10-30%
		Khas Kajora													15-35%
		Jambad UG													25-45%

Auction Floor													
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
PARASEA	15000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified / Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Belbaid UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	3000	3549	N/A	N/A	4366	Near Belbaid Siding, CAP: 50 Te
CHA-II(P)/PSEC	Rail	Parasea UG	G4	G4	-100 MM,STEAM	3549	4437	12000	3549	80%-100%	RKN1	4001	SONACHARA Rail In Motion WB, CAP:140 TES
		Belbaid UG								5%-25%			

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Belbaid	25000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified / Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Narainkuri Highwall UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	5000	3549	N/A	N/A	4371	Near Belbaid Siding, CAP: 50 Te
TOP-I (BL) / Belbaid	RAIL	Narainkuri Highwall UG	G4	G4	-100 MM,STEAM	3549	4437	20000	3549	100%	SWKT	4001	SONACHARA Rail In Motion WB, CAP:140 TES

Auction Floor													
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
BANSRA A	7000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified / Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Kunustoria UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	3000	3549	N/A	N/A	4362	Near Agent Office, CAP: 60 Te
TOP-I (BNC) / Bansra	Rail	Bansra UG	G4	G4	-100 MM STEAM	3549	4437	4000	3549	30%-50%	BKN1	4001	SONACHARA Rail In Motion WB, CAP:140 TES
		Kunustoria UG								30%-50%			

[illegible]

Auction Floor													
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Satgram-Sripur C	7500	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
JK Nagar UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	3500	3549	N/A	N/A	4418	Near JK Nagar Siding(50 MT Road WB)
DN-IB	Rail	Satgram Incline UG	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	0%-20%	JNCN	4001	J K Nagar Railway Weigh Bridge, Cap: 140TE
		Satgram Project UG								0%-20%			
		Chapuikhas UG								0%-20%			
		JK Nagar UG								0%-20%			
		Pure Searsole UG								0%-20%			
		Bhanora West Block UG								0%-20%			
		Bhanora OC								80%-100%			
		SSI (Ningha) OC	G5	3267	4084	0%-20%							

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Satgram-Sripur E	4600	G4	-100 MM,STEAM	3549	4437									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Kalidaspur UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	600	3549	N/A	N/A	4417	60 MT Road WB, Adjacent to Kalidaspur Project	
NMCL	RAIL	Nimcha UG	G4	G5	-100 MM,STEAM	3549	4437	4000	3267	0%-20%	NMCL	4001	Nimcha UP 140 MT Railway WB	
		Kalidaspur UG				0%-20%								
		Amkola OC	G5			80%-100%								
		Nimcha Highwall				0%-20%								

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Salanpur B	24000	G6	STEAM	3024	3024								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Itapara OC	Road	N/A	G6	G6	-100 MM,STEAM	3024	3024	20000	3024	N/A	N/A	4513	02 No 60TE Weighbridge
SLS-1 / BJSP	RAIL	Gourangdih OC Itapara OC	G6	G6	-100 MM,STEAM	3024	3024	4000	3024	30%-50% 50%-70%	BJSP	4001	Dalmiya EIM WB, Cap: 140 tes

Auction Floor					
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price
Mugma B	20700	G5	STEAM	3267	4084

Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified /Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified /Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Chapapur (II) OCP (Hired)	Road	N/A	G5	G5	-250 MM,STEAM	3267	4084	16700	3267	N/A	N/A	4614	Chapapur OC WB , Capacity: 60 Te.
MMU IIIA / PMCS	Rail	Lakhimata UG	G5	G5	-100 MM,STEAM	3267	4084	4000	3267	0%-20%	PMCS	4001	Pandra Rail Weighbridge, Capacity: 100 MT
		Barmuri OC								30%-50%			
		Khoodia UG								0%-20%			
		Badjna UG	G-6			3024	3780			0%-20%			
		Badjna OC	G-5			3267	4084			0%-20%			
		Chapapur II OC								30%-50%			

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
S P Mines B	19300	G4	STEAM	3549	4437									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modu lated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Chitra OC	Road	N/A	G4	G4	-250 MM,STEAM	3549	4437	15300	3549	N/A	N/A	4662	Chitra Road WB 60 Te	
JMT/CCSJ	RAIL	Chitra OC	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	100%	CCSJ	4001	Jamtara Rail In Motion WB 140	

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Jhanjra A	185000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Jhanjra UG (MIC/3&4 Incl)	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	25000	3549	N/A	N/A	4162	MIC/3&4 Road WB; Capacity: 50/60 Te
PAWI POCP-I	RAIL	Jhanjra UG (MIC)	G4	G4	-100 MM,STEAM	3549	4437	160000	3549	80%-100%	RWJ1	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
		Jhanjra UG (3&4)								0%-20%			

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Bankola B	54000	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Tilaboni UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	6000	3549	N/A	N/A	4115	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Bankola I Siding	RAIL	Shankarpur UG	G4	G4	-100 MM,STEAM	3549	4437	48000	3549	5%-20%	RLB1	4001	Andal Rail Weighbridge 140 Te
		Tilaboni UG								80%-95%			